

Severity	Source	Date	
E	Error	SERVPROC	02/20/15
W	Warning		02/19/15
I	Info		02/18/15

Note: Hold down Ctrl to select more than one option.
Hold down Shift to select a range of options.

Filters: None

Index	Sev	Source	Date/Time	Text
1	E	SERVPROC	02/20/15, 09:19:01	Planar Voltage Channel Fault.
2	I	SERVPROC	02/20/15, 09:18:56	System Complex Powered Down
3	I	SERVPROC	02/20/15, 08:30:16	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
4	I	SERVPROC	02/20/15, 08:24:20	BMC SYSTEM EVENT LOG 100% Full
5	I	SERVPROC	02/20/15, 08:24:20	BMC SYSTEM EVENT LOG 90% Full
6	I	SERVPROC	02/20/15, 08:24:20	BMC SYSTEM EVENT LOG 75% Full
7	W	SERVPROC	02/20/15, 08:24:20	SMI handler has reported a memory device is disabled, DIMM = 12.
8	W	SERVPROC	02/20/15, 08:24:20	SMI handler has reported a memory device is disabled, DIMM = 9.
9	W	SERVPROC	02/20/15, 08:24:20	SMI handler has reported a memory device is disabled, DIMM = 11.
10	W	SERVPROC	02/20/15, 08:24:20	SMI handler has reported a memory device is disabled, DIMM = 8.
11	I	SERVPROC	02/20/15, 08:23:44	BMC Self Test Results: Passed
12	I	SERVPROC	02/20/15, 08:23:34	Ethernet[0] configured to do Auto Speed/Auto Duplex.
13	I	SERVPROC	02/20/15, 08:23:34	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
14	E	SERVPROC	02/20/15, 08:23:34	System error log full
15	I	SERVPROC	02/20/15, 08:23:34	RSA II Network Initialization Complete.
16	W	SERVPROC	02/20/15, 08:23:34	System log 75% full
17	I	SERVPROC	02/20/15, 08:23:34	ENET[0] IP-Cfg:HstName=ngccserver, IP@=192.168.112.220 ,GW@=192.168.112.254, NetMsk=255.255.255.0
18	E	SERVPROC	02/20/15, 08:16:55	Fan 6 Fault Multiple fan failures
19	I	SERVPROC	02/20/15, 08:16:20	BMC SYSTEM EVENT LOG 100% Full
20	I	SERVPROC	02/20/15, 08:16:20	BMC SYSTEM EVENT LOG 90% Full
21	I	SERVPROC	02/20/15, 08:16:20	BMC SYSTEM EVENT LOG 75% Full
22	E	SERVPROC	02/20/15, 08:16:20	Fan 9 Failure Single fan failure
23	W	SERVPROC	02/20/15, 08:16:13	SMI handler has reported a memory device is disabled, DIMM = 11.
24	W	SERVPROC	02/20/15, 08:16:13	SMI handler has reported a memory device is disabled, DIMM = 8.
25	I	SERVPROC	02/20/15, 08:15:43	BMC Self Test Results: Passed
26	I	SERVPROC	02/20/15, 08:15:39	SCSI Backplane Power Cable Removed
27	W	SERVPROC	02/20/15, 08:15:39	PCI riser card removed or absent
28	I	SERVPROC	02/20/15, 08:15:27	Ethernet[0] configured to do Auto Speed/Auto Duplex.

29	I	SERVPROC	02/20/15, 08:15:27	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
30	E	SERVPROC	02/20/15, 08:15:27	System error log full
31	I	SERVPROC	02/20/15, 08:15:27	RSA II Network Initialization Complete.
32	W	SERVPROC	02/20/15, 08:15:27	System log 75% full
33	I	SERVPROC	02/20/15, 08:15:27	ENET[0] IP-Cfg:HstName=ngccserver, IP@=192.168.112.220 ,GW@=192.168.112.254, NetMsk=255.255.255.0
34	I	SERVPROC	02/20/15, 08:10:18	Recovery Planar Voltage Channel Fault.
35	I	SERVPROC	02/20/15, 08:10:00	System Complex Powered Up
36	E	SERVPROC	02/19/15, 13:41:08	Planar Voltage Channel Fault.
37	I	SERVPROC	02/19/15, 13:40:59	System Complex Powered Down
38	I	SERVPROC	02/19/15, 13:38:10	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.130'
39	W	SERVPROC	02/19/15, 13:28:38	SMI handler has reported a memory device is disabled, DIMM = 11.
40	W	SERVPROC	02/19/15, 13:28:38	SMI handler has reported a memory device is disabled, DIMM = 8.
41	I	SERVPROC	02/19/15, 13:28:07	Recovery Planar Voltage Channel Fault.
42	I	SERVPROC	02/19/15, 13:27:43	System Complex Powered Up
43	I	SERVPROC	02/19/15, 12:40:52	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.130'
44	I	SERVPROC	02/19/15, 12:40:38	Remote access attempt failed. Invalid userid or password received. Userid is 'admin' from WEB browser at IP@=192.168.112.130
45	E	SERVPROC	02/19/15, 09:49:27	Planar Voltage Channel Fault.
46	I	SERVPROC	02/19/15, 09:49:23	System Complex Powered Down
47	I	SERVPROC	02/19/15, 09:16:30	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.130'
48	W	SERVPROC	02/19/15, 09:12:29	SMI handler has reported a memory device is disabled, DIMM = 11.
49	W	SERVPROC	02/19/15, 09:12:29	SMI handler has reported a memory device is disabled, DIMM = 8.
50	I	SERVPROC	02/19/15, 09:10:42	BMC SYSTEM EVENT LOG 100% Full
51	I	SERVPROC	02/19/15, 09:10:42	BMC SYSTEM EVENT LOG 90% Full
52	I	SERVPROC	02/19/15, 09:10:42	BMC SYSTEM EVENT LOG 75% Full
53	I	SERVPROC	02/19/15, 09:10:30	BMC Self Test Results: Passed
54	I	SERVPROC	02/19/15, 09:10:14	Ethernet[0] configured to do Auto Speed/Auto Duplex.
55	I	SERVPROC	02/19/15, 09:10:14	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
56	E	SERVPROC	02/19/15, 09:10:14	System error log full
57	I	SERVPROC	02/19/15, 09:10:14	RSA II Network Initialization Complete.
58	W	SERVPROC	02/19/15, 09:10:14	System log 75% full
59	I	SERVPROC	02/19/15, 09:10:14	ENET[0] IP-Cfg:HstName=ngccserver, IP@=192.168.112.220 ,GW@=192.168.112.254, NetMsk=255.255.255.0
60	I	SERVPROC	02/19/15, 09:09:57	ASM reset initiated by user HOSTSYS.
61	I	SERVPROC	02/19/15, 09:09:56	DHCP setting changed by user HOSTSYS to: Disabled - Use static IP configuration

62	W	SERVPROC	02/19/15, 09:04:24	SMI handler has reported a memory device is disabled, DIMM = 11.
63	W	SERVPROC	02/19/15, 09:04:24	SMI handler has reported a memory device is disabled, DIMM = 8.
64	W	SERVPROC	02/19/15, 08:50:17	SMI handler has reported a memory device is disabled, DIMM = 11.
65	W	SERVPROC	02/19/15, 08:50:17	SMI handler has reported a memory device is disabled, DIMM = 8.
66	W	SERVPROC	02/19/15, 08:49:03	SMI handler has reported a memory device is disabled, DIMM = 11.
67	W	SERVPROC	02/19/15, 08:49:03	SMI handler has reported a memory device is disabled, DIMM = 8.
68	W	SERVPROC	02/19/15, 08:48:10	SMI handler has reported a memory device is disabled, DIMM = 11.
69	W	SERVPROC	02/19/15, 08:48:10	SMI handler has reported a memory device is disabled, DIMM = 8.
70	I	SERVPROC	02/19/15, 08:47:17	System Complex Powered Up
71	I	SERVPROC	02/19/15, 08:47:13	System Complex Powered Down
72	W	SERVPROC	02/19/15, 07:45:33	SMI handler has reported a memory device is disabled, DIMM = 11.
73	W	SERVPROC	02/19/15, 07:45:33	SMI handler has reported a memory device is disabled, DIMM = 8.
74	I	SERVPROC	02/19/15, 07:44:55	Recovery Planar Voltage Channel Fault.
75	I	SERVPROC	02/19/15, 07:44:37	System Complex Powered Up
76	I	SERVPROC	02/19/15, 06:54:18	Recovery Power Supply 1 AC Power Removed
77	E	SERVPROC	02/19/15, 06:54:08	Power Supply 1 AC Power Removed
78	I	SERVPROC	02/19/15, 05:14:26	Recovery Power Supply 1 AC Power Removed
79	E	SERVPROC	02/19/15, 05:14:16	Power Supply 1 AC Power Removed
80	I	SERVPROC	02/19/15, 05:13:56	Recovery Power Supply 1 AC Power Removed
81	E	SERVPROC	02/19/15, 05:13:46	Power Supply 1 AC Power Removed
82	E	SERVPROC	02/18/15, 10:26:21	Planar Voltage Channel Fault.
83	I	SERVPROC	02/18/15, 10:26:10	System Complex Powered Down
84	I	SERVPROC	02/18/15, 08:22:40	Recovery System Running Nonredundant Power
85	I	SERVPROC	02/18/15, 08:22:38	Recovery Power Supply 1 AC Power Removed
86	W	SERVPROC	02/18/15, 08:22:25	System Running Nonredundant Power
87	E	SERVPROC	02/18/15, 08:22:23	Power Supply 1 AC Power Removed
88	W	SERVPROC	02/18/15, 08:19:45	SMI handler has reported a memory device is disabled, DIMM = 11.
89	W	SERVPROC	02/18/15, 08:19:45	SMI handler has reported a memory device is disabled, DIMM = 8.
90	I	SERVPROC	02/18/15, 08:19:08	Recovery Planar Voltage Channel Fault.
91	I	SERVPROC	02/18/15, 08:18:52	System Complex Powered Up
92	E	SERVPROC	02/17/15, 15:09:40	Planar Voltage Channel Fault.
93	I	SERVPROC	02/17/15, 15:09:32	System Complex Powered Down
94	W	SERVPROC	02/17/15, 14:49:23	SMI handler has reported a memory device is disabled, DIMM = 11.
95	W	SERVPROC	02/17/15, 14:49:23	SMI handler has reported a memory device is disabled, DIMM = 8.
96	I	SERVPROC	02/17/15, 14:48:54	Recovery Planar Voltage Channel Fault.

97	I	SERVPROC	02/17/15, 14:48:30	System Complex Powered Up
98	E	SERVPROC	02/17/15, 08:15:40	Planar Voltage Channel Fault.
99	I	SERVPROC	02/17/15, 08:15:36	System Complex Powered Down
100	W	SERVPROC	02/17/15, 08:02:30	SMI handler has reported a memory device is disabled, DIMM = 11.
101	W	SERVPROC	02/17/15, 08:02:30	SMI handler has reported a memory device is disabled, DIMM = 8.
102	I	SERVPROC	02/17/15, 08:01:55	Recovery Planar Voltage Channel Fault.
103	I	SERVPROC	02/17/15, 08:01:35	System Complex Powered Up
104	E	SERVPROC	02/16/15, 16:16:28	Planar Voltage Channel Fault.
105	I	SERVPROC	02/16/15, 16:16:18	System Complex Powered Down
106	W	SERVPROC	02/16/15, 15:30:31	SMI handler has reported a memory device is disabled, DIMM = 11.
107	W	SERVPROC	02/16/15, 15:30:31	SMI handler has reported a memory device is disabled, DIMM = 8.
108	I	SERVPROC	02/16/15, 15:29:57	Recovery Planar Voltage Channel Fault.
109	I	SERVPROC	02/16/15, 15:29:36	System Complex Powered Up
110	E	SERVPROC	02/16/15, 12:18:38	Planar Voltage Channel Fault.
111	I	SERVPROC	02/16/15, 12:18:25	System Complex Powered Down
112	W	SERVPROC	02/16/15, 12:12:06	SMI handler has reported a memory device is disabled, DIMM = 11.
113	W	SERVPROC	02/16/15, 12:12:06	SMI handler has reported a memory device is disabled, DIMM = 8.
114	I	SERVPROC	02/16/15, 12:11:11	System Complex Powered Up
115	I	SERVPROC	02/16/15, 12:00:53	BMC SYSTEM EVENT LOG 100% Full
116	I	SERVPROC	02/16/15, 12:00:53	BMC SYSTEM EVENT LOG 90% Full
117	I	SERVPROC	02/16/15, 12:00:53	BMC SYSTEM EVENT LOG 75% Full
118	I	SERVPROC	02/16/15, 12:00:42	BMC Self Test Results: Passed
119	I	SERVPROC	02/16/15, 12:00:40	Ethernet[0] configured to do Auto Speed/Auto Duplex.
120	I	SERVPROC	02/16/15, 12:00:39	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
121	E	SERVPROC	02/16/15, 12:00:39	System error log full
122	I	SERVPROC	02/16/15, 12:00:39	RSA II Network Initialization Complete.
123	W	SERVPROC	02/16/15, 12:00:39	System log 75% full
124	I	SERVPROC	02/16/15, 12:00:39	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.33, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
125	E	SERVPROC	02/16/15, 12:00:04	Power Supply 1 AC Power Removed
126	E	SERVPROC	02/16/15, 11:16:53	Planar Voltage Channel Fault.
127	I	SERVPROC	02/16/15, 11:16:41	System Complex Powered Down
128	W	SERVPROC	02/16/15, 11:13:35	SMI handler has reported a memory device is disabled, DIMM = 11.
129	W	SERVPROC	02/16/15, 11:13:35	SMI handler has reported a memory device is disabled, DIMM = 8.
130	I	SERVPROC	02/16/15, 11:12:58	Recovery Planar Voltage Channel Fault.
131	I	SERVPROC	02/16/15, 11:12:41	System Complex Powered Up
132	E	SERVPROC	02/16/15, 10:49:02	Planar Voltage Channel Fault.

133	I	SERVPROC	02/16/15, 10:48:52	System Complex Powered Down
134	W	SERVPROC	02/16/15, 10:44:53	SMI handler has reported a memory device is disabled, DIMM = 11.
135	W	SERVPROC	02/16/15, 10:44:53	SMI handler has reported a memory device is disabled, DIMM = 8.
136	I	SERVPROC	02/16/15, 10:44:20	Recovery Planar Voltage Channel Fault.
137	I	SERVPROC	02/16/15, 10:44:00	System Complex Powered Up
138	E	SERVPROC	02/16/15, 10:25:55	Planar Voltage Channel Fault.
139	I	SERVPROC	02/16/15, 10:25:50	System Complex Powered Down
140	W	SERVPROC	02/16/15, 10:17:02	SMI handler has reported a memory device is disabled, DIMM = 11.
141	W	SERVPROC	02/16/15, 10:17:02	SMI handler has reported a memory device is disabled, DIMM = 8.
142	I	SERVPROC	02/16/15, 10:16:24	Recovery Planar Voltage Channel Fault.
143	I	SERVPROC	02/16/15, 10:16:09	System Complex Powered Up
144	E	SERVPROC	02/16/15, 09:00:48	Planar Voltage Channel Fault.
145	I	SERVPROC	02/16/15, 09:00:34	System Complex Powered Down
146	I	SERVPROC	02/16/15, 09:00:32	System Complex Powered Up
147	I	SERVPROC	02/16/15, 09:00:22	System Complex Powered Down
148	W	SERVPROC	02/16/15, 08:27:41	SMI handler has reported a memory device is disabled, DIMM = 11.
149	W	SERVPROC	02/16/15, 08:27:41	SMI handler has reported a memory device is disabled, DIMM = 8.
150	I	SERVPROC	02/16/15, 08:27:09	Recovery Planar Voltage Channel Fault.
151	I	SERVPROC	02/16/15, 08:26:48	System Complex Powered Up
152	I	SERVPROC	02/16/15, 07:49:23	Recovery Power Supply 1 AC Power Removed
153	E	SERVPROC	02/16/15, 07:49:13	Power Supply 1 AC Power Removed
154	I	SERVPROC	02/16/15, 07:41:43	Recovery Power Supply 1 AC Power Removed
155	E	SERVPROC	02/16/15, 07:41:23	Power Supply 1 AC Power Removed
156	I	SERVPROC	02/16/15, 00:16:33	Recovery Power Supply 1 AC Power Removed
157	E	SERVPROC	02/16/15, 00:16:23	Power Supply 1 AC Power Removed
158	I	SERVPROC	02/15/15, 23:46:52	Recovery Power Supply 1 AC Power Removed
159	E	SERVPROC	02/15/15, 23:46:32	Power Supply 1 AC Power Removed
160	I	SERVPROC	02/15/15, 18:45:55	Recovery Power Supply 1 AC Power Removed
161	E	SERVPROC	02/15/15, 18:45:45	Power Supply 1 AC Power Removed
162	I	SERVPROC	02/15/15, 18:09:54	Recovery Power Supply 1 AC Power Removed
163	E	SERVPROC	02/15/15, 18:09:44	Power Supply 1 AC Power Removed
164	I	SERVPROC	02/15/15, 18:07:44	Recovery Power Supply 1 AC Power Removed
165	E	SERVPROC	02/15/15, 18:07:34	Power Supply 1 AC Power Removed
166	I	SERVPROC	02/15/15, 09:36:53	Recovery Power Supply 1 AC Power Removed
167	E	SERVPROC	02/15/15, 09:36:33	Power Supply 1 AC Power Removed
168	I	SERVPROC	02/14/15, 17:49:11	Recovery Power Supply 1 AC Power Removed
169	E	SERVPROC	02/14/15, 17:48:51	Power Supply 1 AC Power Removed
170	I	SERVPROC	02/14/15, 08:43:59	Recovery Power Supply 1 AC Power Removed
171	E	SERVPROC	02/14/15, 08:43:39	Power Supply 1 AC Power Removed
172	E	SERVPROC	02/13/15, 16:10:26	Planar Voltage Channel Fault.
173	I	SERVPROC	02/13/15, 16:10:20	System Complex Powered Down

174	W	SERVPROC	02/13/15, 13:02:11	SMI handler has reported a memory device is disabled, DIMM = 11.
175	W	SERVPROC	02/13/15, 13:02:11	SMI handler has reported a memory device is disabled, DIMM = 8.
176	I	SERVPROC	02/13/15, 13:01:37	Recovery Planar Voltage Channel Fault.
177	I	SERVPROC	02/13/15, 13:01:17	System Complex Powered Up
178	E	SERVPROC	02/12/15, 17:03:45	Planar Voltage Channel Fault.
179	I	SERVPROC	02/12/15, 17:03:39	System Complex Powered Down
180	W	SERVPROC	02/12/15, 16:50:05	SMI handler has reported a memory device is disabled, DIMM = 11.
181	W	SERVPROC	02/12/15, 16:50:05	SMI handler has reported a memory device is disabled, DIMM = 8.
182	I	SERVPROC	02/12/15, 16:49:30	Recovery Planar Voltage Channel Fault.
183	I	SERVPROC	02/12/15, 16:49:10	System Complex Powered Up
184	E	SERVPROC	02/12/15, 16:22:44	Planar Voltage Channel Fault.
185	I	SERVPROC	02/12/15, 16:22:35	System Complex Powered Down
186	W	SERVPROC	02/12/15, 14:29:58	SMI handler has reported a memory device is disabled, DIMM = 11.
187	W	SERVPROC	02/12/15, 14:29:58	SMI handler has reported a memory device is disabled, DIMM = 8.
188	I	SERVPROC	02/12/15, 14:29:27	Recovery Planar Voltage Channel Fault.
189	I	SERVPROC	02/12/15, 14:29:04	System Complex Powered Up
190	E	SERVPROC	02/12/15, 13:15:20	Planar Voltage Channel Fault.
191	I	SERVPROC	02/12/15, 13:15:11	System Complex Powered Down
192	W	SERVPROC	02/12/15, 08:08:44	SMI handler has reported a memory device is disabled, DIMM = 11.
193	W	SERVPROC	02/12/15, 08:08:44	SMI handler has reported a memory device is disabled, DIMM = 8.
194	I	SERVPROC	02/12/15, 08:08:13	Recovery Planar Voltage Channel Fault.
195	I	SERVPROC	02/12/15, 08:07:50	System Complex Powered Up
196	I	SERVPROC	02/12/15, 08:07:49	Power on
197	I	SERVPROC	02/12/15, 08:07:48	User admin attempting to power on server.
198	I	SERVPROC	02/12/15, 08:07:32	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.7'
199	I	SERVPROC	02/11/15, 07:56:25	Recovery Power Supply 1 AC Power Removed
200	E	SERVPROC	02/11/15, 07:56:15	Power Supply 1 AC Power Removed
201	I	SERVPROC	02/11/15, 07:55:05	Recovery Power Supply 1 AC Power Removed
202	E	SERVPROC	02/11/15, 07:54:55	Power Supply 1 AC Power Removed
203	I	SERVPROC	02/11/15, 05:02:41	Recovery Power Supply 1 AC Power Removed
204	E	SERVPROC	02/11/15, 05:02:31	Power Supply 1 AC Power Removed
205	E	SERVPROC	02/10/15, 17:14:25	Planar Voltage Channel Fault.
206	I	SERVPROC	02/10/15, 17:14:15	System Complex Powered Down
207	I	SERVPROC	02/10/15, 16:20:17	Recovery Fan 9 Failure
208	E	SERVPROC	02/10/15, 16:18:47	Fan 9 Failure Single fan failure
209	W	SERVPROC	02/10/15, 16:15:26	SMI handler has reported a memory device is disabled, DIMM = 11.
210	W	SERVPROC	02/10/15, 16:15:26	SMI handler has reported a memory device is disabled, DIMM = 8.
211	I	SERVPROC	02/10/15, 16:14:54	Recovery Planar Voltage Channel Fault.

212	I	SERVPROC	02/10/15, 16:14:33	System Complex Powered Up
213	I	SERVPROC	02/10/15, 16:14:32	Power on
214	I	SERVPROC	02/10/15, 16:14:32	User admin attempting to power on server.
215	I	SERVPROC	02/10/15, 15:57:31	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
216	E	SERVPROC	02/10/15, 15:52:58	Planar Voltage Channel Fault.
217	I	SERVPROC	02/10/15, 15:52:48	System Complex Powered Down
218	W	SERVPROC	02/10/15, 14:02:15	SMI handler has reported a memory device is disabled, DIMM = 11.
219	W	SERVPROC	02/10/15, 14:02:15	SMI handler has reported a memory device is disabled, DIMM = 8.
220	I	SERVPROC	02/10/15, 14:01:44	Recovery Planar Voltage Channel Fault.
221	I	SERVPROC	02/10/15, 14:01:22	System Complex Powered Up
222	I	SERVPROC	02/10/15, 14:01:21	Power on
223	I	SERVPROC	02/10/15, 14:01:21	User admin attempting to power on server.
224	I	SERVPROC	02/10/15, 14:01:04	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
225	I	SERVPROC	02/10/15, 14:00:53	Remote access attempt failed. Invalid userid or password received. Userid is 'admin' from WEB browser at IP@=192.168.112.130
226	E	SERVPROC	02/10/15, 13:38:08	Planar Voltage Channel Fault.
227	I	SERVPROC	02/10/15, 13:38:01	System Complex Powered Down
228	I	SERVPROC	02/10/15, 12:38:18	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
229	I	SERVPROC	02/10/15, 12:28:08	Recovery System Running Nonredundant Power
230	I	SERVPROC	02/10/15, 12:28:07	Recovery Power Supply 2 AC Power Removed
231	W	SERVPROC	02/10/15, 12:27:39	System Running Nonredundant Power
232	E	SERVPROC	02/10/15, 12:27:37	Power Supply 2 AC Power Removed
233	W	SERVPROC	02/10/15, 12:08:18	SMI handler has reported a memory device is disabled, DIMM = 11.
234	W	SERVPROC	02/10/15, 12:08:18	SMI handler has reported a memory device is disabled, DIMM = 8.
235	I	SERVPROC	02/10/15, 12:07:51	BMC SYSTEM EVENT LOG 100% Full
236	I	SERVPROC	02/10/15, 12:07:51	BMC SYSTEM EVENT LOG 90% Full
237	I	SERVPROC	02/10/15, 12:07:51	BMC SYSTEM EVENT LOG 75% Full
238	I	SERVPROC	02/10/15, 12:07:27	BMC Self Test Results: Passed
239	I	SERVPROC	02/10/15, 12:07:24	System Complex Powered Up
240	I	SERVPROC	02/10/15, 12:07:18	Ethernet[0] configured to do Auto Speed/Auto Duplex.
241	I	SERVPROC	02/10/15, 12:07:18	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
242	I	SERVPROC	02/10/15, 12:07:18	RSA II Network Initialization Complete.
243	E	SERVPROC	02/10/15, 12:07:17	System error log full
244	W	SERVPROC	02/10/15, 12:07:17	System log 75% full
245	I	SERVPROC	02/10/15, 12:07:17	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
246	I	SERVPROC	02/10/15, 12:06:12	System Complex Powered Down

247	I	SERVPROC	02/10/15, 12:04:54	Recovery Fan 7 Failure
248	I	SERVPROC	02/10/15, 12:04:51	Recovery Fan 7 Fault
249	I	SERVPROC	02/10/15, 12:04:44	Recovery Fan 8 Fault
250	E	SERVPROC	02/10/15, 12:04:39	Fan 7 Failure Multiple fan failures
251	I	SERVPROC	02/10/15, 12:04:37	Recovery Fan 8 Failure
252	E	SERVPROC	02/10/15, 12:04:36	Fan 7 Fault Multiple fan failures
253	E	SERVPROC	02/10/15, 12:04:29	Fan 8 Fault Single fan failure
254	I	SERVPROC	02/10/15, 12:04:14	Recovery Fan 9 Fault
255	I	SERVPROC	02/10/15, 12:04:07	Recovery Fan 9 Failure
256	W	SERVPROC	02/10/15, 12:03:19	SMI handler has reported a memory device is disabled, DIMM = 11.
257	W	SERVPROC	02/10/15, 12:03:19	SMI handler has reported a memory device is disabled, DIMM = 8.
258	W	SERVPROC	02/10/15, 12:03:07	PCI riser card removed or absent
259	E	SERVPROC	02/10/15, 12:03:07	Fan 9 Failure Multiple fan failures
260	E	SERVPROC	02/10/15, 12:03:07	Fan 8 Failure Multiple fan failures
261	I	SERVPROC	02/10/15, 12:02:24	System Complex Powered Up
262	I	SERVPROC	02/10/15, 12:02:19	BMC SYSTEM EVENT LOG 100% Full
263	I	SERVPROC	02/10/15, 12:02:19	BMC SYSTEM EVENT LOG 90% Full
264	I	SERVPROC	02/10/15, 12:02:19	BMC SYSTEM EVENT LOG 75% Full
265	I	SERVPROC	02/10/15, 12:02:09	BMC Self Test Results: Passed
266	E	SERVPROC	02/10/15, 12:02:02	Fan 9 Fault Single fan failure
267	I	SERVPROC	02/10/15, 12:01:58	Ethernet[0] configured to do Auto Speed/Auto Duplex.
268	I	SERVPROC	02/10/15, 12:01:58	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
269	I	SERVPROC	02/10/15, 12:01:58	RSA II Network Initialization Complete.
270	E	SERVPROC	02/10/15, 12:01:58	System error log full
271	W	SERVPROC	02/10/15, 12:01:58	System log 75% full
272	I	SERVPROC	02/10/15, 12:01:58	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
273	E	SERVPROC	02/10/15, 11:25:06	Planar Voltage Channel Fault.
274	I	SERVPROC	02/10/15, 11:24:53	System Complex Powered Down
275	I	SERVPROC	02/10/15, 11:24:26	Recovery Planar Voltage Channel Fault.
276	I	SERVPROC	02/10/15, 11:24:10	System Complex Powered Up
277	I	SERVPROC	02/10/15, 11:24:10	Power on
278	I	SERVPROC	02/10/15, 11:24:09	User admin attempting to power on server.
279	E	SERVPROC	02/10/15, 11:23:40	Planar Voltage Channel Fault.
280	I	SERVPROC	02/10/15, 11:23:31	System Complex Powered Down
281	I	SERVPROC	02/10/15, 11:17:34	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
282	I	SERVPROC	02/10/15, 09:21:28	BMC SYSTEM EVENT LOG 100% Full
283	I	SERVPROC	02/10/15, 09:21:28	BMC SYSTEM EVENT LOG 90% Full
284	I	SERVPROC	02/10/15, 09:21:28	BMC SYSTEM EVENT LOG 75% Full
285	I	SERVPROC	02/10/15, 09:12:53	BMC SYSTEM EVENT LOG 100% Full
286	I	SERVPROC	02/10/15, 09:12:53	BMC SYSTEM EVENT LOG 90% Full

287	I	SERVPROC	02/10/15, 09:12:53	BMC SYSTEM EVENT LOG 75% Full
288	I	SERVPROC	02/10/15, 09:12:40	BMC Self Test Results: Passed
289	I	SERVPROC	02/10/15, 09:12:30	Ethernet[0] configured to do Auto Speed/Auto Duplex.
290	I	SERVPROC	02/10/15, 09:12:30	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
291	I	SERVPROC	02/10/15, 09:12:30	RSA II Network Initialization Complete.
292	E	SERVPROC	02/10/15, 09:12:29	System error log full
293	W	SERVPROC	02/10/15, 09:12:29	System log 75% full
294	I	SERVPROC	02/10/15, 09:12:29	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
295	I	SERVPROC	02/10/15, 09:12:11	ASM reset initiated by user LOCALSYS.
296	I	SERVPROC	02/10/15, 09:12:10	Flash of RSA Main Application from USB bus succeeded for user LOCALSYS: build id:GGEP41A 04-28-11 PAETMNUS.PKT, revision 18, ST part
297	I	SERVPROC	02/10/15, 09:07:56	Flash of RSA Boot ROM from USB bus succeeded for user LOCALSYS: build id:GGBP41A 04-28-11 PAETBRUS.PKT, revision 18, ST part
298	W	SERVPROC	02/10/15, 08:46:25	POST has reported a memory device is disabled, DIMM = 11.
299	W	SERVPROC	02/10/15, 08:46:25	POST has reported a memory device is disabled, DIMM = 8.
300	W	SERVPROC	02/10/15, 08:39:27	POST has reported a memory device is disabled, DIMM = 11.
301	W	SERVPROC	02/10/15, 08:39:27	POST has reported a memory device is disabled, DIMM = 8.
302	W	SERVPROC	02/10/15, 08:36:22	POST has reported a memory device is disabled, DIMM = 11.
303	W	SERVPROC	02/10/15, 08:36:22	POST has reported a memory device is disabled, DIMM = 8.
304	W	SERVPROC	02/10/15, 08:33:21	POST has reported a memory device is disabled, DIMM = 11.
305	W	SERVPROC	02/10/15, 08:33:21	POST has reported a memory device is disabled, DIMM = 8.
306	E	SERVPROC	02/10/15, 08:33:08	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
307	W	SERVPROC	02/10/15, 08:31:56	POST has reported a memory device is disabled, DIMM = 11.
308	W	SERVPROC	02/10/15, 08:31:56	POST has reported a memory device is disabled, DIMM = 8.
309	E	SERVPROC	02/10/15, 08:31:04	Loader Watchdog Triggered
310	I	SERVPROC	02/10/15, 08:21:58	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
311	W	SERVPROC	02/10/15, 08:19:15	POST has reported a memory device is disabled, DIMM = 11.
312	W	SERVPROC	02/10/15, 08:19:15	POST has reported a memory device is disabled, DIMM = 8.
313	I	SERVPROC	02/10/15, 08:18:55	BMC SYSTEM EVENT LOG 90% Full

314	I	SERVPROC	02/10/15, 08:18:55	BMC SYSTEM EVENT LOG 100% Full
315	I	SERVPROC	02/10/15, 08:18:55	BMC SYSTEM EVENT LOG 90% Full
316	I	SERVPROC	02/10/15, 08:18:55	BMC SYSTEM EVENT LOG 75% Full
317	I	SERVPROC	02/10/15, 08:18:30	BMC Self Test Results: Passed
318	I	SERVPROC	02/10/15, 08:18:21	System Complex Powered Up
319	I	SERVPROC	02/10/15, 08:18:17	BMC SYSTEM EVENT LOG 100% Full
320	I	SERVPROC	02/10/15, 08:18:17	BMC SYSTEM EVENT LOG 90% Full
321	I	SERVPROC	02/10/15, 08:18:17	BMC SYSTEM EVENT LOG 75% Full
322	I	SERVPROC	02/10/15, 08:18:03	Ethernet[0] configured to do Auto Speed/Auto Duplex.
323	I	SERVPROC	02/10/15, 08:18:03	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
324	E	SERVPROC	02/10/15, 08:18:03	System error log full
325	I	SERVPROC	02/10/15, 08:18:03	RSA II Network Initialization Complete.
326	W	SERVPROC	02/10/15, 08:18:03	System log 75% full
327	I	SERVPROC	02/10/15, 08:18:03	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
328	I	SERVPROC	02/09/15, 17:07:47	Recovery Power Supply 1 AC Power Removed
329	E	SERVPROC	02/09/15, 17:07:27	Power Supply 1 AC Power Removed
330	E	SERVPROC	02/09/15, 15:59:26	Planar Voltage Channel Fault.
331	I	SERVPROC	02/09/15, 15:59:17	System Complex Powered Down
332	W	SERVPROC	02/09/15, 15:06:38	POST has reported a memory device is disabled, DIMM = 11.
333	W	SERVPROC	02/09/15, 15:06:38	POST has reported a memory device is disabled, DIMM = 8.
334	E	SERVPROC	02/09/15, 15:05:46	Loader Watchdog Triggered
335	W	SERVPROC	02/09/15, 14:53:58	POST has reported a memory device is disabled, DIMM = 11.
336	W	SERVPROC	02/09/15, 14:53:58	POST has reported a memory device is disabled, DIMM = 8.
337	I	SERVPROC	02/09/15, 14:53:24	Recovery Planar Voltage Channel Fault.
338	I	SERVPROC	02/09/15, 14:53:07	System Complex Powered Up
339	I	SERVPROC	02/09/15, 14:53:06	Power on
340	I	SERVPROC	02/09/15, 14:53:05	User admin attempting to power on server.
341	E	SERVPROC	02/09/15, 13:11:17	Planar Voltage Channel Fault.
342	I	SERVPROC	02/09/15, 13:11:10	System Complex Powered Down
343	W	SERVPROC	02/09/15, 13:07:23	POST has reported a memory device is disabled, DIMM = 11.
344	W	SERVPROC	02/09/15, 13:07:23	POST has reported a memory device is disabled, DIMM = 8.
345	E	SERVPROC	02/09/15, 13:06:31	Loader Watchdog Triggered
346	W	SERVPROC	02/09/15, 12:54:43	POST has reported a memory device is disabled, DIMM = 11.
347	W	SERVPROC	02/09/15, 12:54:43	POST has reported a memory device is disabled, DIMM = 8.
348	I	SERVPROC	02/09/15, 12:54:17	Recovery Planar Voltage Channel Fault.
349	I	SERVPROC	02/09/15, 12:53:52	System Complex Powered Up

350	I	SERVPROC	02/09/15, 12:53:51	Power on
351	I	SERVPROC	02/09/15, 12:53:51	User admin attempting to power on server.
352	E	SERVPROC	02/09/15, 12:32:21	Planar Voltage Channel Fault.
353	I	SERVPROC	02/09/15, 12:32:12	System Complex Powered Down
354	W	SERVPROC	02/09/15, 12:30:24	POST has reported a memory device is disabled, DIMM = 11.
355	W	SERVPROC	02/09/15, 12:30:24	POST has reported a memory device is disabled, DIMM = 8.
356	I	SERVPROC	02/09/15, 12:29:54	Recovery Planar Voltage Channel Fault.
357	I	SERVPROC	02/09/15, 12:29:33	System Complex Powered Up
358	I	SERVPROC	02/09/15, 12:29:32	Power on
359	I	SERVPROC	02/09/15, 12:29:32	User admin attempting to power on server.
360	E	SERVPROC	02/09/15, 12:21:49	Planar Voltage Channel Fault.
361	I	SERVPROC	02/09/15, 12:21:36	System Complex Powered Down
362	W	SERVPROC	02/09/15, 12:18:06	POST has reported a memory device is disabled, DIMM = 11.
363	W	SERVPROC	02/09/15, 12:18:06	POST has reported a memory device is disabled, DIMM = 8.
364	I	SERVPROC	02/09/15, 12:17:39	Recovery Planar Voltage Channel Fault.
365	I	SERVPROC	02/09/15, 12:17:15	System Complex Powered Up
366	I	SERVPROC	02/09/15, 12:17:14	Power on
367	I	SERVPROC	02/09/15, 12:17:13	User admin attempting to power on server.
368	I	SERVPROC	02/09/15, 12:16:34	Test alert generated by the Web Browser.
369	I	SERVPROC	02/09/15, 12:13:46	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.130'
370	E	SERVPROC	02/09/15, 12:13:34	Planar Voltage Channel Fault.
371	I	SERVPROC	02/09/15, 12:13:20	System Complex Powered Down
372	I	SERVPROC	02/09/15, 12:12:26	Recovery System Running Nonredundant Power
373	I	SERVPROC	02/09/15, 12:12:24	Recovery Power Supply 1 AC Power Removed
374	W	SERVPROC	02/09/15, 12:12:10	System Running Nonredundant Power
375	E	SERVPROC	02/09/15, 12:12:09	Power Supply 1 AC Power Removed
376	W	SERVPROC	02/09/15, 12:11:59	POST has reported a memory device is disabled, DIMM = 11.
377	W	SERVPROC	02/09/15, 12:11:59	POST has reported a memory device is disabled, DIMM = 8.
378	I	SERVPROC	02/09/15, 12:11:24	Recovery Planar Voltage Channel Fault.
379	I	SERVPROC	02/09/15, 12:11:08	System Complex Powered Up
380	I	SERVPROC	02/09/15, 12:09:19	BMC SYSTEM EVENT LOG 100% Full
381	I	SERVPROC	02/09/15, 12:09:19	BMC SYSTEM EVENT LOG 90% Full
382	I	SERVPROC	02/09/15, 12:09:19	BMC SYSTEM EVENT LOG 75% Full
383	E	SERVPROC	02/09/15, 12:09:19	Planar Voltage Channel Fault.
384	I	SERVPROC	02/09/15, 12:09:08	BMC Self Test Results: Passed
385	I	SERVPROC	02/09/15, 12:08:48	System Complex Powered Down
386	I	SERVPROC	02/09/15, 12:08:42	Ethernet[0] configured to do Auto Speed/Auto Duplex.
387	I	SERVPROC	02/09/15, 12:08:42	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
388	I	SERVPROC	02/09/15, 12:08:42	RSA II Network Initialization Complete.

389	I	SERVPROC	02/09/15, 12:08:42	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
390	E	SERVPROC	02/09/15, 12:08:41	System error log full
391	W	SERVPROC	02/09/15, 12:08:41	System log 75% full
392	I	SERVPROC	02/09/15, 12:08:41	System Complex Powered Up
393	E	SERVPROC	02/09/15, 12:06:56	Planar Voltage Channel Fault.
394	I	SERVPROC	02/09/15, 12:06:47	System Complex Powered Down
395	I	SERVPROC	02/09/15, 12:05:34	Remote Login Successful. Login ID:'admin' from WEB browser at IP@=192.168.112.130'
396	W	SERVPROC	02/09/15, 12:05:26	POST has reported a memory device is disabled, DIMM = 11.
397	W	SERVPROC	02/09/15, 12:05:26	POST has reported a memory device is disabled, DIMM = 8.
398	I	SERVPROC	02/09/15, 12:04:42	System Complex Powered Up
399	I	SERVPROC	02/09/15, 12:04:33	System Complex Powered Down
400	W	SERVPROC	02/09/15, 12:00:06	POST has reported a memory device is disabled, DIMM = 11.
401	W	SERVPROC	02/09/15, 12:00:06	POST has reported a memory device is disabled, DIMM = 8.
402	E	SERVPROC	02/09/15, 11:59:54	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
403	W	SERVPROC	02/09/15, 11:58:12	POST has reported a memory device is disabled, DIMM = 11.
404	W	SERVPROC	02/09/15, 11:58:12	POST has reported a memory device is disabled, DIMM = 8.
405	I	SERVPROC	02/09/15, 11:57:44	Recovery Planar Voltage Channel Fault.
406	I	SERVPROC	02/09/15, 11:57:20	System Complex Powered Up
407	E	SERVPROC	02/09/15, 11:55:49	Planar Voltage Channel Fault.
408	I	SERVPROC	02/09/15, 11:55:39	System Complex Powered Down
409	I	SERVPROC	02/09/15, 11:55:19	Recovery Planar Voltage Channel Fault.
410	I	SERVPROC	02/09/15, 11:55:00	System Complex Powered Up
411	E	SERVPROC	02/09/15, 11:54:24	Planar Voltage Channel Fault.
412	I	SERVPROC	02/09/15, 11:54:19	System Complex Powered Down
413	W	SERVPROC	02/09/15, 11:49:13	POST has reported a memory device is disabled, DIMM = 11.
414	W	SERVPROC	02/09/15, 11:49:13	POST has reported a memory device is disabled, DIMM = 8.
415	I	SERVPROC	02/09/15, 11:48:21	System Complex Powered Up
416	I	SERVPROC	02/09/15, 11:48:12	System Complex Powered Down
417	W	SERVPROC	02/09/15, 11:47:55	POST has reported a memory device is disabled, DIMM = 11.
418	W	SERVPROC	02/09/15, 11:47:55	POST has reported a memory device is disabled, DIMM = 8.
419	I	SERVPROC	02/09/15, 11:47:23	Recovery Planar Voltage Channel Fault.
420	I	SERVPROC	02/09/15, 11:47:03	System Complex Powered Up
421	E	SERVPROC	02/09/15, 11:46:48	Planar Voltage Channel Fault.
422	I	SERVPROC	02/09/15, 11:46:40	System Complex Powered Down

423	W	SERVPROC	02/09/15, 11:44:38	POST has reported a memory device is disabled, DIMM = 11.
424	W	SERVPROC	02/09/15, 11:44:38	POST has reported a memory device is disabled, DIMM = 8.
425	E	SERVPROC	02/09/15, 11:44:17	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
426	W	SERVPROC	02/09/15, 11:40:03	POST has reported a memory device is disabled, DIMM = 11.
427	W	SERVPROC	02/09/15, 11:40:03	POST has reported a memory device is disabled, DIMM = 8.
428	W	SERVPROC	02/09/15, 11:32:32	POST has reported a memory device is disabled, DIMM = 11.
429	W	SERVPROC	02/09/15, 11:32:32	POST has reported a memory device is disabled, DIMM = 8.
430	I	SERVPROC	02/09/15, 11:02:32	BMC SYSTEM EVENT LOG 100% Full
431	I	SERVPROC	02/09/15, 11:02:32	BMC SYSTEM EVENT LOG 90% Full
432	I	SERVPROC	02/09/15, 11:02:32	BMC SYSTEM EVENT LOG 75% Full
433	I	SERVPROC	02/09/15, 11:02:20	BMC Self Test Results: Passed
434	E	SERVPROC	02/09/15, 11:02:06	System error log full
435	I	SERVPROC	02/09/15, 11:02:06	BMC SYSTEM EVENT LOG 100% Full
436	I	SERVPROC	02/09/15, 11:02:06	BMC SYSTEM EVENT LOG 90% Full
437	I	SERVPROC	02/09/15, 11:02:06	BMC SYSTEM EVENT LOG 75% Full
438	W	SERVPROC	02/09/15, 09:06:39	POST has reported a memory device is disabled, DIMM = 11.
439	W	SERVPROC	02/09/15, 09:06:38	POST has reported a memory device is disabled, DIMM = 8.
440	E	SERVPROC	02/09/15, 09:05:47	Loader Watchdog Triggered
441	W	SERVPROC	02/09/15, 08:53:45	POST has reported a memory device is disabled, DIMM = 11.
442	W	SERVPROC	02/09/15, 08:53:45	POST has reported a memory device is disabled, DIMM = 8.
443	W	SERVPROC	02/09/15, 08:48:50	POST has reported a memory device is disabled, DIMM = 11.
444	W	SERVPROC	02/09/15, 08:48:50	POST has reported a memory device is disabled, DIMM = 8.
445	I	SERVPROC	02/09/15, 08:46:54	BMC SYSTEM EVENT LOG 100% Full
446	I	SERVPROC	02/09/15, 08:46:54	BMC SYSTEM EVENT LOG 90% Full
447	I	SERVPROC	02/09/15, 08:46:53	BMC SYSTEM EVENT LOG 75% Full
448	I	SERVPROC	02/09/15, 08:34:57	BMC SYSTEM EVENT LOG 100% Full
449	I	SERVPROC	02/09/15, 08:34:57	BMC SYSTEM EVENT LOG 90% Full
450	I	SERVPROC	02/09/15, 08:34:57	BMC SYSTEM EVENT LOG 75% Full
451	I	SERVPROC	02/09/15, 08:34:47	BMC Self Test Results: Passed
452	I	SERVPROC	02/09/15, 08:34:19	Ethernet[0] configured to do Auto Speed/Auto Duplex.
453	I	SERVPROC	02/09/15, 08:34:19	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
454	I	SERVPROC	02/09/15, 08:34:19	RSA II Network Initialization Complete.
455	W	SERVPROC	02/09/15, 08:34:19	System log 75% full

456	I	SERVPROC	02/09/15, 08:34:19	ENET[0] DHCP-HSTN=ngccserver, DN=accesskenya.com, IP@=192.168.1.95, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
457	I	SERVPROC	02/09/15, 08:34:00	ASM reset initiated by user HOSTSYS.
458	W	SERVPROC	02/09/15, 08:30:03	POST has reported a memory device is disabled, DIMM = 11.
459	W	SERVPROC	02/09/15, 08:30:03	POST has reported a memory device is disabled, DIMM = 8.
460	I	SERVPROC	02/09/15, 08:29:20	System Complex Powered Up
461	I	SERVPROC	02/09/15, 08:29:19	Power on
462	I	SERVPROC	02/09/15, 08:29:18	User admin attempting to power on server.
463	I	SERVPROC	02/09/15, 08:29:06	Power off
464	I	SERVPROC	02/09/15, 08:29:05	System Complex Powered Down
465	I	SERVPROC	02/09/15, 08:29:05	User admin attempting to power off server.
466	W	SERVPROC	02/09/15, 08:20:14	POST has reported a memory device is disabled, DIMM = 11.
467	W	SERVPROC	02/09/15, 08:20:14	POST has reported a memory device is disabled, DIMM = 8.
468	W	SERVPROC	02/09/15, 08:19:19	POST has reported a memory device is disabled, DIMM = 11.
469	W	SERVPROC	02/09/15, 08:19:19	POST has reported a memory device is disabled, DIMM = 8.
470	I	SERVPROC	02/09/15, 08:18:27	System Complex Powered Up
471	I	SERVPROC	02/09/15, 08:18:26	Power on
472	I	SERVPROC	02/09/15, 08:18:22	User admin attempting to power on server.
473	I	SERVPROC	02/09/15, 08:18:13	Power off
474	I	SERVPROC	02/09/15, 08:18:13	System Complex Powered Down
475	I	SERVPROC	02/09/15, 08:18:12	User admin attempting to power off server.
476	I	SERVPROC	02/09/15, 08:16:20	System Complex Powered Down
477	I	SERVPROC	02/09/15, 08:16:20	User admin attempting to shutdown OS and restart server.
478	I	SERVPROC	02/09/15, 08:16:09	Remote Login Successful. Login ID:"admin" from WEB browser at IP@=192.168.112.130'
479	W	SERVPROC	02/09/15, 08:12:30	POST has reported a memory device is disabled, DIMM = 11.
480	W	SERVPROC	02/09/15, 08:12:30	POST has reported a memory device is disabled, DIMM = 8.
481	E	SERVPROC	02/09/15, 08:11:38	Loader Watchdog Triggered
482	W	SERVPROC	02/09/15, 07:59:47	POST has reported a memory device is disabled, DIMM = 11.
483	W	SERVPROC	02/09/15, 07:59:47	POST has reported a memory device is disabled, DIMM = 8.
484	I	SERVPROC	02/09/15, 07:58:56	System Complex Powered Up
485	I	SERVPROC	02/08/15, 16:26:52	Recovery Power Supply 1 AC Power Removed
486	E	SERVPROC	02/08/15, 16:26:42	Power Supply 1 AC Power Removed
487	I	SERVPROC	02/08/15, 12:24:37	Recovery Power Supply 1 AC Power Removed
488	E	SERVPROC	02/08/15, 12:24:27	Power Supply 1 AC Power Removed
489	I	SERVPROC	02/08/15, 12:17:46	Recovery Power Supply 1 AC Power Removed
490	E	SERVPROC	02/08/15, 12:17:26	Power Supply 1 AC Power Removed

491	I	SERVPROC	02/07/15, 18:14:22	Recovery Power Supply 1 AC Power Removed
492	E	SERVPROC	02/07/15, 18:14:02	Power Supply 1 AC Power Removed
493	I	SERVPROC	02/07/15, 09:07:20	Power off
494	I	SERVPROC	02/07/15, 09:04:19	System Complex Powered Down
495	I	SERVPROC	02/07/15, 09:04:18	User admin attempting to shutdown OS and power off server.
496	I	SERVPROC	02/07/15, 08:52:58	Remote access attempt failed. Invalid userid or password received. Userid is 'admin' from WEB browser at IP@=192.168.112.130
497	W	SERVPROC	02/07/15, 08:50:50	POST has reported a memory device is disabled, DIMM = 11.
498	W	SERVPROC	02/07/15, 08:50:50	POST has reported a memory device is disabled, DIMM = 8.
499	E	SERVPROC	02/07/15, 08:50:29	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
500	E	SERVPROC	02/07/15, 08:49:58	Loader Watchdog Triggered
501	W	SERVPROC	02/07/15, 08:37:49	POST has reported a memory device is disabled, DIMM = 11.
502	W	SERVPROC	02/07/15, 08:37:49	POST has reported a memory device is disabled, DIMM = 8.
503	I	SERVPROC	02/07/15, 08:37:14	Recovery Planar Voltage Channel Fault.
504	I	SERVPROC	02/07/15, 08:36:58	System Complex Powered Up
505	I	SERVPROC	02/07/15, 08:36:57	Power on
506	I	SERVPROC	02/07/15, 08:36:56	User admin attempting to power on server.
507	I	SERVPROC	02/07/15, 08:36:13	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
508	E	SERVPROC	02/05/15, 21:02:21	Planar Voltage Channel Fault.
509	I	SERVPROC	02/05/15, 21:02:11	System Complex Powered Down
510	W	SERVPROC	02/05/15, 18:18:19	POST has reported a memory device is disabled, DIMM = 11.
511	W	SERVPROC	02/05/15, 18:18:19	POST has reported a memory device is disabled, DIMM = 8.
512	E	SERVPROC	02/05/15, 18:17:27	Loader Watchdog Triggered
513	W	SERVPROC	02/05/15, 18:05:20	POST has reported a memory device is disabled, DIMM = 11.
514	W	SERVPROC	02/05/15, 18:05:20	POST has reported a memory device is disabled, DIMM = 8.
515	I	SERVPROC	02/05/15, 18:04:52	Recovery Planar Voltage Channel Fault.
516	I	SERVPROC	02/05/15, 18:04:29	System Complex Powered Up
517	I	SERVPROC	02/05/15, 18:04:28	Power on
518	I	SERVPROC	02/05/15, 18:04:27	User admin attempting to power on server.
519	E	SERVPROC	02/05/15, 15:34:44	Planar Voltage Channel Fault.
520	I	SERVPROC	02/05/15, 15:34:33	System Complex Powered Down
521	W	SERVPROC	02/05/15, 13:31:12	POST has reported a memory device is disabled, DIMM = 11.
522	W	SERVPROC	02/05/15, 13:31:12	POST has reported a memory device is disabled, DIMM = 8.
523	E	SERVPROC	02/05/15, 13:30:20	Loader Watchdog Triggered

524	W	SERVPROC	02/05/15, 13:18:11	POST has reported a memory device is disabled, DIMM = 11.
525	W	SERVPROC	02/05/15, 13:18:11	POST has reported a memory device is disabled, DIMM = 8.
526	I	SERVPROC	02/05/15, 13:17:41	Recovery Planar Voltage Channel Fault.
527	I	SERVPROC	02/05/15, 13:17:21	System Complex Powered Up
528	I	SERVPROC	02/05/15, 13:17:20	Power on
529	I	SERVPROC	02/05/15, 13:17:20	User admin attempting to power on server.
530	E	SERVPROC	02/05/15, 12:59:45	Planar Voltage Channel Fault.
531	I	SERVPROC	02/05/15, 12:59:35	System Complex Powered Down
532	I	SERVPROC	02/05/15, 12:39:21	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
533	I	SERVPROC	02/05/15, 11:17:00	Recovery System Running Nonredundant Power
534	I	SERVPROC	02/05/15, 11:16:58	Recovery Power Supply 1 AC Power Removed
535	W	SERVPROC	02/05/15, 11:16:45	System Running Nonredundant Power
536	E	SERVPROC	02/05/15, 11:16:43	Power Supply 1 AC Power Removed
537	W	SERVPROC	02/05/15, 10:51:09	POST has reported a memory device is disabled, DIMM = 11.
538	W	SERVPROC	02/05/15, 10:51:09	POST has reported a memory device is disabled, DIMM = 8.
539	E	SERVPROC	02/05/15, 10:50:17	Loader Watchdog Triggered
540	W	SERVPROC	02/05/15, 10:38:08	POST has reported a memory device is disabled, DIMM = 11.
541	W	SERVPROC	02/05/15, 10:38:08	POST has reported a memory device is disabled, DIMM = 8.
542	I	SERVPROC	02/05/15, 10:37:18	System Complex Powered Up
543	I	SERVPROC	02/05/15, 10:37:17	Power on
544	I	SERVPROC	02/05/15, 10:37:16	User admin attempting to power on server.
545	I	SERVPROC	02/05/15, 10:37:02	Power off
546	I	SERVPROC	02/05/15, 10:34:00	System Complex Powered Down
547	I	SERVPROC	02/05/15, 10:34:00	User admin attempting to shutdown OS and power off server.
548	I	SERVPROC	02/05/15, 09:43:18	LAN: Ethernet[0] interface is now active
549	I	SERVPROC	02/05/15, 09:23:44	LAN: Ethernet[0] interface is no longer active
550	W	SERVPROC	02/05/15, 09:10:24	POST has reported a memory device is disabled, DIMM = 11.
551	W	SERVPROC	02/05/15, 09:10:24	POST has reported a memory device is disabled, DIMM = 8.
552	W	SERVPROC	02/05/15, 08:06:08	POST has reported a memory device is disabled, DIMM = 11.
553	W	SERVPROC	02/05/15, 08:06:08	POST has reported a memory device is disabled, DIMM = 8.
554	E	SERVPROC	02/05/15, 08:05:17	Loader Watchdog Triggered
555	I	SERVPROC	02/05/15, 08:03:51	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
556	W	SERVPROC	02/05/15, 07:53:08	POST has reported a memory device is disabled, DIMM = 11.
557	W	SERVPROC	02/05/15, 07:53:08	POST has reported a memory device is disabled, DIMM = 8.
558	I	SERVPROC	02/05/15, 07:52:33	Recovery Planar Voltage Channel Fault.

559	I	SERVPROC	02/05/15, 07:52:17	System Complex Powered Up
560	I	SERVPROC	02/05/15, 03:58:03	Recovery Power Supply 1 AC Power Removed
561	E	SERVPROC	02/05/15, 03:57:43	Power Supply 1 AC Power Removed
562	I	SERVPROC	02/05/15, 03:21:42	Recovery Power Supply 1 AC Power Removed
563	E	SERVPROC	02/05/15, 03:21:32	Power Supply 1 AC Power Removed
564	I	SERVPROC	02/05/15, 01:10:29	Recovery Power Supply 1 AC Power Removed
565	E	SERVPROC	02/05/15, 01:10:09	Power Supply 1 AC Power Removed
566	E	SERVPROC	02/05/15, 00:49:59	Planar Voltage Channel Fault.
567	I	SERVPROC	02/05/15, 00:49:52	System Complex Powered Down
568	W	SERVPROC	02/04/15, 17:07:29	POST has reported a memory device is disabled, DIMM = 11.
569	W	SERVPROC	02/04/15, 17:07:29	POST has reported a memory device is disabled, DIMM = 8.
570	E	SERVPROC	02/04/15, 17:06:38	Loader Watchdog Triggered
571	W	SERVPROC	02/04/15, 16:54:29	POST has reported a memory device is disabled, DIMM = 11.
572	W	SERVPROC	02/04/15, 16:54:29	POST has reported a memory device is disabled, DIMM = 8.
573	I	SERVPROC	02/04/15, 16:53:39	System Complex Powered Up
574	I	SERVPROC	02/04/15, 16:53:38	Power on
575	I	SERVPROC	02/04/15, 16:53:36	User admin attempting to power on server.
576	I	SERVPROC	02/04/15, 16:53:25	Power off
577	I	SERVPROC	02/04/15, 16:53:25	System Complex Powered Down
578	I	SERVPROC	02/04/15, 16:53:24	User admin attempting to power off server.
579	I	SERVPROC	02/04/15, 16:52:48	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
580	I	SERVPROC	02/04/15, 16:52:37	Remote access attempt failed. Invalid userid or password received. Userid is 'admin' from WEB browser at IP@=192.168.112.130
581	I	SERVPROC	02/04/15, 16:41:15	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
582	W	SERVPROC	02/04/15, 15:14:57	POST has reported a memory device is disabled, DIMM = 11.
583	W	SERVPROC	02/04/15, 15:14:57	POST has reported a memory device is disabled, DIMM = 8.
584	E	SERVPROC	02/04/15, 15:14:06	Loader Watchdog Triggered
585	I	SERVPROC	02/04/15, 15:05:46	LAN: Ethernet[0] interface is now active
586	I	SERVPROC	02/04/15, 15:05:16	LAN: Ethernet[0] interface is no longer active
587	W	SERVPROC	02/04/15, 15:02:13	POST has reported a memory device is disabled, DIMM = 11.
588	W	SERVPROC	02/04/15, 15:02:13	POST has reported a memory device is disabled, DIMM = 8.
589	I	SERVPROC	02/04/15, 15:01:20	System Complex Powered Up
590	I	SERVPROC	02/04/15, 15:01:19	Power on
591	I	SERVPROC	02/04/15, 15:01:18	User admin attempting to power on server.
592	I	SERVPROC	02/04/15, 15:01:02	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
593	I	SERVPROC	02/04/15, 12:40:00	LAN: Ethernet[0] interface is now active

594	I	SERVPROC	02/04/15, 12:35:42	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
595	I	SERVPROC	02/04/15, 12:35:42	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
596	I	SERVPROC	02/04/15, 12:35:42	Ethernet[0] configured to do Auto Speed/Auto Duplex.
597	I	SERVPROC	02/04/15, 12:35:42	LAN: Ethernet[0] interface is no longer active
598	I	SERVPROC	02/04/15, 12:35:42	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
599	I	SERVPROC	02/04/15, 12:35:42	RSA II Network Initialization Complete.
600	I	SERVPROC	02/04/15, 12:35:42	ENET[0] IP-Cfg:HstName=ngccserver, IP@=192.168.112.220 ,GW@=192.168.112.254, NetMsk=255.255.255.0
601	I	SERVPROC	02/04/15, 12:35:42	DHCP[0] failure,no IP@ assigned,rc=-290
602	I	SERVPROC	02/04/15, 12:34:01	BMC SYSTEM EVENT LOG 100% Full
603	I	SERVPROC	02/04/15, 12:34:01	BMC SYSTEM EVENT LOG 90% Full
604	I	SERVPROC	02/04/15, 12:34:01	BMC SYSTEM EVENT LOG 75% Full
605	I	SERVPROC	02/04/15, 12:33:50	BMC Self Test Results: Passed
606	I	SERVPROC	02/04/15, 12:33:39	BMC SYSTEM EVENT LOG 100% Full
607	I	SERVPROC	02/04/15, 12:33:39	BMC SYSTEM EVENT LOG 90% Full
608	W	SERVPROC	02/04/15, 12:33:38	System log 75% full
609	I	SERVPROC	02/04/15, 12:33:38	BMC SYSTEM EVENT LOG 75% Full
610	I	SERVPROC	02/03/15, 17:41:27	Power off
611	I	SERVPROC	02/03/15, 17:38:26	System Complex Powered Down
612	I	SERVPROC	02/03/15, 17:38:25	User admin attempting to shutdown OS and power off server.
613	W	SERVPROC	02/03/15, 17:31:52	POST has reported a memory device is disabled, DIMM = 11.
614	W	SERVPROC	02/03/15, 17:31:52	POST has reported a memory device is disabled, DIMM = 8.
615	I	SERVPROC	02/03/15, 17:31:01	System Complex Powered Up
616	I	SERVPROC	02/03/15, 17:31:00	Power on
617	I	SERVPROC	02/03/15, 17:28:59	Remote Login Successful. Login ID:"admin' from WEB browser at IP@=192.168.112.130'
618	I	SERVPROC	02/03/15, 17:22:05	Remote Login Successful. Login ID:"USERID' from WEB browser at IP@=192.168.112.130'
619	I	SERVPROC	02/03/15, 17:19:05	Power off
620	I	SERVPROC	02/03/15, 17:19:05	System Complex Powered Down
621	I	SERVPROC	02/03/15, 17:19:04	User USERID attempting to power off server.
622	I	SERVPROC	02/03/15, 17:18:55	System Complex Powered Up
623	I	SERVPROC	02/03/15, 17:18:54	Power on
624	I	SERVPROC	02/03/15, 17:18:53	User USERID attempting to power on server.
625	I	SERVPROC	02/03/15, 17:18:30	Power off
626	I	SERVPROC	02/03/15, 17:18:25	Remote Login Successful. Login ID:"USERID' from WEB browser at IP@=192.168.112.130'
627	I	SERVPROC	02/03/15, 17:18:08	Remote Login Successful. Login ID:"USERID' from WEB browser at IP@=192.168.112.130'

628	W	SERVPROC	02/03/15, 17:16:05	POST has reported a memory device is disabled, DIMM = 11.
629	W	SERVPROC	02/03/15, 17:16:05	POST has reported a memory device is disabled, DIMM = 8.
630	I	SERVPROC	02/03/15, 17:15:28	System Complex Powered Down
631	I	SERVPROC	02/03/15, 17:15:27	User USERID attempting to shutdown OS and power off server.
632	I	SERVPROC	02/03/15, 17:12:59	Test alert generated by the Web Browser.
633	I	SERVPROC	02/03/15, 17:12:11	System Complex Powered Down
634	I	SERVPROC	02/03/15, 17:12:11	User USERID attempting to shutdown OS and restart server.
635	I	SERVPROC	02/03/15, 17:03:47	Hostname set to ngccserver by user USERID.
636	W	SERVPROC	02/03/15, 16:45:55	POST has reported a memory device is disabled, DIMM = 11.
637	W	SERVPROC	02/03/15, 16:45:55	POST has reported a memory device is disabled, DIMM = 8.
638	E	SERVPROC	02/03/15, 16:45:03	Loader Watchdog Triggered
639	I	SERVPROC	02/03/15, 16:29:59	Remote Login Successful. Login ID:"USERID' from WEB browser at IP@=192.168.112.130'
640	I	SERVPROC	01/20/00, 05:25:28	Remote Login Successful. Login ID:"USERID' from WEB browser at IP@=192.168.112.130'
641	I	SERVPROC	01/20/00, 05:24:41	Remote access attempt failed. Invalid userid or password received. Userid is 'USERID' from WEB browser at IP@=192.168.112.130
642	I	SERVPROC	01/20/00, 05:24:03	Remote access attempt failed. Invalid userid or password received. Userid is 'Admin' from WEB browser at IP@=192.168.112.130
643	I	SERVPROC	01/20/00, 05:23:53	Remote access attempt failed. Invalid userid or password received. Userid is 'Administrator' from WEB browser at IP@=192.168.112.130
644	W	SERVPROC	01/20/00, 04:54:32	POST has reported a memory device is disabled, DIMM = 11.
645	W	SERVPROC	01/20/00, 04:54:32	POST has reported a memory device is disabled, DIMM = 8.
646	W	SERVPROC	01/20/00, 03:51:04	POST has reported a memory device is disabled, DIMM = 11.
647	W	SERVPROC	01/20/00, 03:51:04	POST has reported a memory device is disabled, DIMM = 8.
648	I	SERVPROC	01/20/00, 03:47:14	BMC SYSTEM EVENT LOG 100% Full
649	I	SERVPROC	01/20/00, 03:47:14	BMC SYSTEM EVENT LOG 90% Full
650	I	SERVPROC	01/20/00, 03:47:14	BMC SYSTEM EVENT LOG 75% Full
651	I	SERVPROC	01/20/00, 03:47:07	BMC Self Test Results: Passed
652	I	SERVPROC	01/20/00, 03:46:32	Ethernet[0] configured to do Auto Speed/Auto Duplex.
653	I	SERVPROC	01/20/00, 03:46:32	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
654	I	SERVPROC	01/20/00, 03:46:32	RSA II Network Initialization Complete.
655	W	SERVPROC	01/20/00, 03:46:32	System log 75% full
656	I	SERVPROC	01/20/00, 03:46:32	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126

657	I	SERVPROC	01/20/00, 03:46:15	ASM reset initiated by user HOSTSYS.
658	I	SERVPROC	01/20/00, 03:46:14	IP address of network interface modified from 192.168.70.125 to 192.168.112.220 by user HOSTSYS.
659	W	SERVPROC	01/20/00, 03:43:04	POST has reported a memory device is disabled, DIMM = 11.
660	W	SERVPROC	01/20/00, 03:43:04	POST has reported a memory device is disabled, DIMM = 8.
661	W	SERVPROC	01/20/00, 03:29:27	POST has reported a memory device is disabled, DIMM = 11.
662	W	SERVPROC	01/20/00, 03:29:27	POST has reported a memory device is disabled, DIMM = 8.
663	I	SERVPROC	01/20/00, 03:28:37	System Complex Powered Up
664	I	SERVPROC	01/20/00, 01:34:14	System Complex Powered Down
665	E	SERVPROC	01/20/00, 01:34:08	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
666	W	SERVPROC	01/20/00, 01:29:33	POST has reported a memory device is disabled, DIMM = 11.
667	W	SERVPROC	01/20/00, 01:29:33	POST has reported a memory device is disabled, DIMM = 8.
668	I	SERVPROC	01/20/00, 01:28:39	System Complex Powered Up
669	I	SERVPROC	01/20/00, 01:12:56	BMC SYSTEM EVENT LOG 100% Full
670	I	SERVPROC	01/20/00, 01:12:56	BMC SYSTEM EVENT LOG 90% Full
671	I	SERVPROC	01/20/00, 01:12:56	BMC SYSTEM EVENT LOG 75% Full
672	I	SERVPROC	01/20/00, 01:12:45	BMC Self Test Results: Passed
673	I	SERVPROC	01/20/00, 01:12:34	BMC SYSTEM EVENT LOG 100% Full
674	I	SERVPROC	01/20/00, 01:12:34	BMC SYSTEM EVENT LOG 90% Full
675	I	SERVPROC	01/20/00, 01:12:34	BMC SYSTEM EVENT LOG 75% Full
676	I	SERVPROC	01/20/00, 01:12:21	Ethernet[0] configured to do Auto Speed/Auto Duplex.
677	W	SERVPROC	01/20/00, 01:12:21	System log 75% full
678	I	SERVPROC	01/20/00, 01:12:21	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
679	I	SERVPROC	01/20/00, 01:12:21	RSA II Network Initialization Complete.
680	I	SERVPROC	01/20/00, 01:12:21	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
681	I	SERVPROC	01/20/00, 01:03:58	System Complex Powered Down
682	E	SERVPROC	01/20/00, 01:03:43	RAID failure
683	W	SERVPROC	01/20/00, 01:02:21	POST has reported a memory device is disabled, DIMM = 11.
684	W	SERVPROC	01/20/00, 01:02:21	POST has reported a memory device is disabled, DIMM = 8.
685	I	SERVPROC	01/20/00, 01:01:30	System Complex Powered Up
686	I	SERVPROC	01/20/00, 00:46:01	System Complex Powered Down
687	I	SERVPROC	01/20/00, 00:45:42	Recovery RAID failure
688	E	SERVPROC	01/20/00, 00:44:42	RAID failure

689	W	SERVPROC	01/20/00, 00:43:33	POST has reported a memory device is disabled, DIMM = 11.
690	W	SERVPROC	01/20/00, 00:43:33	POST has reported a memory device is disabled, DIMM = 8.
691	E	SERVPROC	01/20/00, 00:43:12	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
692	I	SERVPROC	01/20/00, 00:42:57	Recovery RAID failure
693	E	SERVPROC	01/20/00, 00:41:57	RAID failure
694	W	SERVPROC	01/20/00, 00:40:41	POST has reported a memory device is disabled, DIMM = 11.
695	W	SERVPROC	01/20/00, 00:40:41	POST has reported a memory device is disabled, DIMM = 8.
696	I	SERVPROC	01/20/00, 00:40:10	LAN: Ethernet[0] interface is now active
697	I	SERVPROC	01/20/00, 00:39:57	Recovery RAID failure
698	I	SERVPROC	01/20/00, 00:39:29	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
699	I	SERVPROC	01/20/00, 00:39:29	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
700	I	SERVPROC	01/20/00, 00:39:29	Ethernet[0] configured to do Auto Speed/Auto Duplex.
701	I	SERVPROC	01/20/00, 00:39:29	LAN: Ethernet[0] interface is no longer active
702	I	SERVPROC	01/20/00, 00:39:29	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
703	I	SERVPROC	01/20/00, 00:39:29	RSA II Network Initialization Complete.
704	I	SERVPROC	01/20/00, 00:39:29	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=192.168.112.254, NetMsk=255.255.255.0
705	I	SERVPROC	01/20/00, 00:39:29	DHCP[0] failure,no IP@ assigned,rc=-290
706	E	SERVPROC	01/20/00, 00:39:27	RAID failure
707	W	SERVPROC	01/20/00, 00:38:14	POST has reported a memory device is disabled, DIMM = 11.
708	W	SERVPROC	01/20/00, 00:38:14	POST has reported a memory device is disabled, DIMM = 8.
709	I	SERVPROC	01/20/00, 00:37:49	BMC SYSTEM EVENT LOG 100% Full
710	I	SERVPROC	01/20/00, 00:37:49	BMC SYSTEM EVENT LOG 90% Full
711	I	SERVPROC	01/20/00, 00:37:49	BMC SYSTEM EVENT LOG 75% Full
712	I	SERVPROC	01/20/00, 00:37:37	BMC Self Test Results: Passed
713	I	SERVPROC	01/20/00, 00:37:20	System Complex Powered Up
714	I	SERVPROC	01/20/00, 00:34:48	System Complex Powered Down
715	E	SERVPROC	01/20/00, 00:33:26	RAID failure
716	W	SERVPROC	01/20/00, 00:32:14	POST has reported a memory device is disabled, DIMM = 11.
717	W	SERVPROC	01/20/00, 00:32:14	POST has reported a memory device is disabled, DIMM = 8.
718	I	SERVPROC	01/20/00, 00:31:39	LAN: Ethernet[0] interface is no longer active
719	I	SERVPROC	01/20/00, 00:31:37	LAN: Ethernet[0] interface is now active
720	I	SERVPROC	01/20/00, 00:31:35	LAN: Ethernet[0] interface is no longer active

721	I	SERVPROC	01/20/00, 00:31:26	Recovery RAID failure
722	E	SERVPROC	01/20/00, 00:30:41	RAID failure
723	W	SERVPROC	01/20/00, 00:29:32	POST has reported a memory device is disabled, DIMM = 11.
724	W	SERVPROC	01/20/00, 00:29:32	POST has reported a memory device is disabled, DIMM = 8.
725	I	SERVPROC	01/20/00, 00:28:53	LAN: Ethernet[0] interface is now active
726	I	SERVPROC	01/20/00, 00:28:38	System Complex Powered Up
727	I	SERVPROC	01/20/00, 00:28:09	LAN: Ethernet[0] interface is no longer active
728	I	SERVPROC	01/20/00, 00:16:48	BMC SYSTEM EVENT LOG 100% Full
729	I	SERVPROC	01/20/00, 00:16:48	BMC SYSTEM EVENT LOG 90% Full
730	I	SERVPROC	01/20/00, 00:16:48	BMC SYSTEM EVENT LOG 75% Full
731	I	SERVPROC	01/20/00, 00:16:37	BMC Self Test Results: Passed
732	I	SERVPROC	01/20/00, 00:16:26	BMC SYSTEM EVENT LOG 100% Full
733	I	SERVPROC	01/20/00, 00:16:26	BMC SYSTEM EVENT LOG 90% Full
734	I	SERVPROC	01/20/00, 00:16:26	BMC SYSTEM EVENT LOG 100% Full
735	I	SERVPROC	01/20/00, 00:16:26	BMC SYSTEM EVENT LOG 90% Full
736	I	SERVPROC	01/20/00, 00:16:25	BMC SYSTEM EVENT LOG 75% Full
737	I	SERVPROC	01/20/00, 00:16:12	Ethernet[0] configured to do Auto Speed/Auto Duplex.
738	I	SERVPROC	01/20/00, 00:16:12	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
739	I	SERVPROC	01/20/00, 00:16:12	RSA II Network Initialization Complete.
740	I	SERVPROC	01/20/00, 00:16:12	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
741	I	SERVPROC	01/20/00, 00:14:10	BMC SYSTEM EVENT LOG 100% Full
742	I	SERVPROC	01/20/00, 00:14:09	BMC SYSTEM EVENT LOG 90% Full
743	I	SERVPROC	01/20/00, 00:14:09	BMC SYSTEM EVENT LOG 75% Full
744	I	SERVPROC	01/20/00, 00:13:59	BMC Self Test Results: Passed
745	I	SERVPROC	01/20/00, 00:13:48	BMC SYSTEM EVENT LOG 100% Full
746	I	SERVPROC	01/20/00, 00:13:48	BMC SYSTEM EVENT LOG 90% Full
747	I	SERVPROC	01/20/00, 00:13:47	BMC SYSTEM EVENT LOG 100% Full
748	I	SERVPROC	01/20/00, 00:13:47	BMC SYSTEM EVENT LOG 90% Full
749	I	SERVPROC	01/20/00, 00:13:47	BMC SYSTEM EVENT LOG 75% Full
750	I	SERVPROC	01/20/00, 00:13:41	LAN: Ethernet[0] interface is now active
751	I	SERVPROC	01/20/00, 00:13:35	LAN: Ethernet[0] interface is no longer active
752	I	SERVPROC	01/20/00, 00:13:34	Ethernet[0] configured to do Auto Speed/Auto Duplex.
753	I	SERVPROC	01/20/00, 00:13:34	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
754	I	SERVPROC	01/20/00, 00:13:34	RSA II Network Initialization Complete.
755	I	SERVPROC	01/20/00, 00:13:34	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
756	I	SERVPROC	01/19/00, 02:19:57	System Complex Powered Down
757	I	SERVPROC	01/19/00, 02:19:33	System Complex Powered Up

758	I	SERVPROC	01/19/00, 02:18:35	System Complex Powered Down
759	W	SERVPROC	01/19/00, 02:12:20	POST has reported a memory device is disabled, DIMM = 11.
760	W	SERVPROC	01/19/00, 02:12:20	POST has reported a memory device is disabled, DIMM = 8.
761	I	SERVPROC	01/19/00, 02:12:03	BMC SYSTEM EVENT LOG 90% Full
762	I	SERVPROC	01/19/00, 02:12:02	BMC SYSTEM EVENT LOG 100% Full
763	I	SERVPROC	01/19/00, 02:12:02	BMC SYSTEM EVENT LOG 90% Full
764	I	SERVPROC	01/19/00, 02:12:02	BMC SYSTEM EVENT LOG 75% Full
765	I	SERVPROC	01/19/00, 02:11:49	BMC Self Test Results: Passed
766	I	SERVPROC	01/19/00, 02:11:26	System Complex Powered Up
767	I	SERVPROC	01/19/00, 02:11:24	Ethernet[0] configured to do Auto Speed/Auto Duplex.
768	I	SERVPROC	01/19/00, 02:11:24	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
769	I	SERVPROC	01/19/00, 02:11:24	RSA II Network Initialization Complete.
770	I	SERVPROC	01/19/00, 02:11:24	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
771	E	SERVPROC	01/19/00, 02:07:56	Power Supply 1 AC Power Removed
772	I	SERVPROC	01/19/00, 02:07:44	System Complex Powered Down
773	I	SERVPROC	01/19/00, 01:42:49	LAN: Ethernet[0] interface is now active
774	I	SERVPROC	01/19/00, 01:42:42	LAN: Ethernet[0] interface is no longer active
775	W	SERVPROC	01/19/00, 01:31:25	POST has reported a memory device is disabled, DIMM = 11.
776	W	SERVPROC	01/19/00, 01:31:25	POST has reported a memory device is disabled, DIMM = 8.
777	I	SERVPROC	01/19/00, 01:30:30	BMC SYSTEM EVENT LOG 100% Full
778	I	SERVPROC	01/19/00, 01:30:30	BMC SYSTEM EVENT LOG 90% Full
779	I	SERVPROC	01/19/00, 01:30:30	BMC SYSTEM EVENT LOG 75% Full
780	I	SERVPROC	01/19/00, 01:30:17	BMC Self Test Results: Passed
781	I	SERVPROC	01/19/00, 01:29:54	Ethernet[0] configured to do Auto Speed/Auto Duplex.
782	I	SERVPROC	01/19/00, 01:29:54	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
783	I	SERVPROC	01/19/00, 01:29:54	RSA II Network Initialization Complete.
784	I	SERVPROC	01/19/00, 01:29:54	ENET[0] DHCP-HSTN=ASMA000804061234, DN=accesskenya.com, IP@=192.168.1.147, GW@=192.168.1.254, SN=255.255.255.0, DNS1@=196.207.28.126
785	I	SERVPROC	01/19/00, 01:29:35	ASM reset initiated by user HOSTSYS.
786	I	SERVPROC	01/19/00, 01:29:34	IP address of default gateway modified from 0.0.0.0 to 192.168.112.254 by user HOSTSYS.
787	W	SERVPROC	01/19/00, 01:24:42	POST has reported a memory device is disabled, DIMM = 11.
788	W	SERVPROC	01/19/00, 01:24:42	POST has reported a memory device is disabled, DIMM = 8.
789	I	SERVPROC	01/19/00, 01:23:03	System Complex Powered Up
790	I	SERVPROC	01/19/00, 01:22:52	System Complex Powered Down

791	W	SERVPROC	01/19/00, 00:12:44	POST has reported a memory device is disabled, DIMM = 11.
792	W	SERVPROC	01/19/00, 00:12:44	POST has reported a memory device is disabled, DIMM = 8.
793	I	SERVPROC	01/19/00, 00:07:32	LAN: Ethernet[0] interface is now active
794	W	SERVPROC	01/18/00, 23:20:10	POST has reported a memory device is disabled, DIMM = 11.
795	W	SERVPROC	01/18/00, 23:20:10	POST has reported a memory device is disabled, DIMM = 8.
796	W	SERVPROC	01/18/00, 23:13:35	POST has reported a memory device is disabled, DIMM = 11.
797	W	SERVPROC	01/18/00, 23:13:35	POST has reported a memory device is disabled, DIMM = 8.
798	W	SERVPROC	01/18/00, 22:47:42	POST has reported a memory device is disabled, DIMM = 11.
799	W	SERVPROC	01/18/00, 22:47:42	POST has reported a memory device is disabled, DIMM = 8.
800	W	SERVPROC	01/18/00, 22:06:35	POST has reported a memory device is disabled, DIMM = 11.
801	W	SERVPROC	01/18/00, 22:06:35	POST has reported a memory device is disabled, DIMM = 8.
802	W	SERVPROC	01/18/00, 21:58:37	POST has reported a memory device is disabled, DIMM = 11.
803	W	SERVPROC	01/18/00, 21:58:37	POST has reported a memory device is disabled, DIMM = 8.
804	I	SERVPROC	01/18/00, 21:57:45	System Complex Powered Up
805	I	SERVPROC	01/18/00, 21:57:25	System Complex Powered Down
806	I	SERVPROC	01/18/00, 21:24:51	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
807	I	SERVPROC	01/18/00, 21:24:50	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
808	I	SERVPROC	01/18/00, 21:24:50	Ethernet[0] configured to do Auto Speed/Auto Duplex.
809	I	SERVPROC	01/18/00, 21:24:50	LAN: Ethernet[0] interface is no longer active
810	I	SERVPROC	01/18/00, 21:24:50	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
811	I	SERVPROC	01/18/00, 21:24:50	RSA II Network Initialization Complete.
812	I	SERVPROC	01/18/00, 21:24:50	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
813	I	SERVPROC	01/18/00, 21:24:50	DHCP[0] failure,no IP@ assigned,rc=-290
814	W	SERVPROC	01/18/00, 21:24:48	POST has reported a memory device is disabled, DIMM = 11.
815	W	SERVPROC	01/18/00, 21:24:48	POST has reported a memory device is disabled, DIMM = 8.
816	I	SERVPROC	01/18/00, 21:23:54	System Complex Powered Up
817	I	SERVPROC	01/18/00, 21:23:11	BMC SYSTEM EVENT LOG 100% Full
818	I	SERVPROC	01/18/00, 21:23:11	BMC SYSTEM EVENT LOG 90% Full
819	I	SERVPROC	01/18/00, 21:23:10	BMC SYSTEM EVENT LOG 75% Full

820	I	SERVPROC	01/18/00, 21:23:00	BMC Self Test Results: Passed
821	I	SERVPROC	01/18/00, 21:22:49	BMC SYSTEM EVENT LOG 100% Full
822	I	SERVPROC	01/18/00, 21:22:48	BMC SYSTEM EVENT LOG 90% Full
823	I	SERVPROC	01/18/00, 21:22:48	BMC SYSTEM EVENT LOG 75% Full
824	I	SERVPROC	01/17/00, 00:40:28	System Complex Powered Down
825	I	SERVPROC	01/17/00, 00:32:56	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
826	I	SERVPROC	01/17/00, 00:32:56	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
827	I	SERVPROC	01/17/00, 00:32:56	Ethernet[0] configured to do Auto Speed/Auto Duplex.
828	I	SERVPROC	01/17/00, 00:32:56	LAN: Ethernet[0] interface is no longer active
829	I	SERVPROC	01/17/00, 00:32:56	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
830	I	SERVPROC	01/17/00, 00:32:56	RSA II Network Initialization Complete.
831	I	SERVPROC	01/17/00, 00:32:56	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
832	I	SERVPROC	01/17/00, 00:32:56	DHCP[0] failure,no IP@ assigned,rc=-290
833	W	SERVPROC	01/17/00, 00:32:22	POST has reported a memory device is disabled, DIMM = 11.
834	W	SERVPROC	01/17/00, 00:32:22	POST has reported a memory device is disabled, DIMM = 8.
835	I	SERVPROC	01/17/00, 00:31:28	System Complex Powered Up
836	I	SERVPROC	01/17/00, 00:31:15	BMC SYSTEM EVENT LOG 100% Full
837	I	SERVPROC	01/17/00, 00:31:15	BMC SYSTEM EVENT LOG 90% Full
838	I	SERVPROC	01/17/00, 00:31:15	BMC SYSTEM EVENT LOG 75% Full
839	I	SERVPROC	01/17/00, 00:31:05	BMC Self Test Results: Passed
840	I	SERVPROC	01/17/00, 00:30:53	BMC SYSTEM EVENT LOG 100% Full
841	I	SERVPROC	01/17/00, 00:30:53	BMC SYSTEM EVENT LOG 90% Full
842	I	SERVPROC	01/17/00, 00:30:53	BMC SYSTEM EVENT LOG 75% Full
843	I	SERVPROC	01/01/00, 03:50:49	System Complex Powered Down
844	W	SERVPROC	01/01/00, 03:36:00	POST has reported a memory device is disabled, DIMM = 11.
845	W	SERVPROC	01/01/00, 03:36:00	POST has reported a memory device is disabled, DIMM = 8.
846	I	SERVPROC	01/01/00, 03:35:09	System Complex Powered Up
847	I	SERVPROC	01/01/00, 03:28:19	System Complex Powered Down
848	W	SERVPROC	01/01/00, 02:11:16	POST has reported a memory device is disabled, DIMM = 11.
849	W	SERVPROC	01/01/00, 02:11:16	POST has reported a memory device is disabled, DIMM = 8.
850	W	SERVPROC	01/01/00, 02:07:07	POST has reported a memory device is disabled, DIMM = 11.
851	W	SERVPROC	01/01/00, 02:07:07	POST has reported a memory device is disabled, DIMM = 8.

852	E	SERVPROC	01/01/00, 02:06:44	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
853	W	SERVPROC	01/01/00, 01:48:23	POST has reported a memory device is disabled, DIMM = 11.
854	W	SERVPROC	01/01/00, 01:48:23	POST has reported a memory device is disabled, DIMM = 8.
855	I	SERVPROC	01/01/00, 01:47:41	System Complex Powered Up
856	I	SERVPROC	01/01/00, 01:47:38	System Complex Powered Down
857	W	SERVPROC	01/01/00, 01:38:40	POST has reported a memory device is disabled, DIMM = 11.
858	W	SERVPROC	01/01/00, 01:38:40	POST has reported a memory device is disabled, DIMM = 8.
859	I	SERVPROC	01/01/00, 01:38:18	SMI handler reporting PCIE Industry Standard Register Dump: Industry Standard ID = 0x02, 0x00, 0x00, 0xff, 0x00, 0x00 , 0x00, 0x00, 0x20, 0x00, 0x00, 0x00
860	E	SERVPROC	01/01/00, 01:38:18	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
861	W	SERVPROC	01/01/00, 01:28:29	POST has reported a memory device is disabled, DIMM = 11.
862	W	SERVPROC	01/01/00, 01:28:29	POST has reported a memory device is disabled, DIMM = 8.
863	E	SERVPROC	01/01/00, 01:28:08	Unknown SERR/PERR detected on PCI bus Chassis#=NA Slot#=0 Bus#=0 Dev.ID=0x25e3 Vend.ID=0x8086 Status=0x0 DevFun#=0xff
864	I	SERVPROC	01/01/00, 01:25:50	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
865	I	SERVPROC	01/01/00, 01:25:50	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
866	I	SERVPROC	01/01/00, 01:25:50	Ethernet[0] configured to do Auto Speed/Auto Duplex.
867	I	SERVPROC	01/01/00, 01:25:50	LAN: Ethernet[0] interface is no longer active
868	I	SERVPROC	01/01/00, 01:25:50	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
869	I	SERVPROC	01/01/00, 01:25:50	RSA II Network Initialization Complete.
870	I	SERVPROC	01/01/00, 01:25:50	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
871	I	SERVPROC	01/01/00, 01:25:50	DHCP[0] failure,no IP@ assigned,rc=-290
872	W	SERVPROC	01/01/00, 01:24:19	POST has reported a memory device is disabled, DIMM = 11.
873	W	SERVPROC	01/01/00, 01:24:19	POST has reported a memory device is disabled, DIMM = 8.
874	W	SERVPROC	01/01/00, 01:24:13	System Running Nonredundant Power
875	I	SERVPROC	01/01/00, 01:24:12	BMC SYSTEM EVENT LOG 100% Full
876	I	SERVPROC	01/01/00, 01:24:12	BMC SYSTEM EVENT LOG 90% Full
877	I	SERVPROC	01/01/00, 01:24:12	BMC SYSTEM EVENT LOG 75% Full
878	E	SERVPROC	01/01/00, 01:24:12	Power Supply 2 AC Power Removed

879	I	SERVPROC	01/01/00, 01:24:00	BMC Self Test Results: Passed
880	I	SERVPROC	01/01/00, 01:22:49	BMC Self Test Results: Passed
881	W	SERVPROC	01/01/00, 00:51:01	POST has reported a memory device is disabled, DIMM = 11.
882	W	SERVPROC	01/01/00, 00:51:01	POST has reported a memory device is disabled, DIMM = 8.
883	W	SERVPROC	01/01/00, 00:44:08	POST has reported a memory device is disabled, DIMM = 11.
884	W	SERVPROC	01/01/00, 00:44:08	POST has reported a memory device is disabled, DIMM = 8.
885	W	SERVPROC	01/01/00, 00:40:50	POST has reported a memory device is disabled, DIMM = 11.
886	W	SERVPROC	01/01/00, 00:40:50	POST has reported a memory device is disabled, DIMM = 8.
887	I	SERVPROC	01/01/00, 00:39:55	System Complex Powered Up
888	I	SERVPROC	01/01/00, 00:37:22	System Complex Powered Down
889	W	SERVPROC	01/01/00, 00:27:06	POST has reported a memory device is disabled, DIMM = 11.
890	W	SERVPROC	01/01/00, 00:27:06	POST has reported a memory device is disabled, DIMM = 8.
891	I	SERVPROC	01/01/00, 00:25:10	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
892	I	SERVPROC	01/01/00, 00:25:10	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
893	I	SERVPROC	01/01/00, 00:25:10	Ethernet[0] configured to do Auto Speed/Auto Duplex.
894	I	SERVPROC	01/01/00, 00:25:10	LAN: Ethernet[0] interface is no longer active
895	I	SERVPROC	01/01/00, 00:25:10	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
896	I	SERVPROC	01/01/00, 00:25:10	RSA II Network Initialization Complete.
897	I	SERVPROC	01/01/00, 00:25:10	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
898	I	SERVPROC	01/01/00, 00:25:10	DHCP[0] failure,no IP@ assigned,rc=-290
899	W	SERVPROC	01/01/00, 00:23:42	POST has reported a memory device is disabled, DIMM = 11.
900	W	SERVPROC	01/01/00, 00:23:42	POST has reported a memory device is disabled, DIMM = 8.
901	W	SERVPROC	01/01/00, 00:23:42	System Running Nonredundant Power
902	I	SERVPROC	01/01/00, 00:23:40	BMC SYSTEM EVENT LOG 100% Full
903	I	SERVPROC	01/01/00, 00:23:40	BMC SYSTEM EVENT LOG 90% Full
904	I	SERVPROC	01/01/00, 00:23:40	BMC SYSTEM EVENT LOG 75% Full
905	E	SERVPROC	01/01/00, 00:23:40	Power Supply 2 AC Power Removed
906	I	SERVPROC	01/01/00, 00:23:19	BMC Self Test Results: Passed
907	I	SERVPROC	01/01/00, 00:22:53	System Complex Powered Up
908	I	SERVPROC	01/01/00, 00:08:47	Recovery Fan 7 Fault
909	I	SERVPROC	01/01/00, 00:08:47	Recovery Fan 6 Fault
910	I	SERVPROC	01/01/00, 00:08:43	Recovery Fan 10 Fault

911	I	SERVPROC	01/01/00, 00:08:43	Recovery Fan 9 Fault
912	I	SERVPROC	01/01/00, 00:08:43	Recovery Fan 8 Fault
913	I	SERVPROC	01/01/00, 00:08:43	Recovery Fan 4 Fault
914	I	SERVPROC	01/01/00, 00:08:36	Recovery Fan 5 Fault
915	E	SERVPROC	01/01/00, 00:06:14	Fan 7 Fault Multiple fan failures
916	E	SERVPROC	01/01/00, 00:06:14	Fan 6 Fault Multiple fan failures
917	E	SERVPROC	01/01/00, 00:06:14	Fan 5 Fault Multiple fan failures
918	E	SERVPROC	01/01/00, 00:06:10	Fan 10 Fault Multiple fan failures
919	E	SERVPROC	01/01/00, 00:06:10	Fan 9 Fault Multiple fan failures
920	E	SERVPROC	01/01/00, 00:06:10	Fan 8 Fault Multiple fan failures
921	E	SERVPROC	01/01/00, 00:06:10	Fan 4 Fault Single fan failure
922	I	SERVPROC	01/01/00, 00:02:57	System Complex Powered Down
923	I	SERVPROC	01/01/00, 00:02:25	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
924	I	SERVPROC	01/01/00, 00:02:25	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
925	I	SERVPROC	01/01/00, 00:02:25	Ethernet[0] configured to do Auto Speed/Auto Duplex.
926	I	SERVPROC	01/01/00, 00:02:25	LAN: Ethernet[0] interface is no longer active
927	I	SERVPROC	01/01/00, 00:02:25	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
928	I	SERVPROC	01/01/00, 00:02:25	RSA II Network Initialization Complete.
929	I	SERVPROC	01/01/00, 00:02:25	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
930	I	SERVPROC	01/01/00, 00:02:25	DHCP[0] failure,no IP@ assigned,rc=-290
931	W	SERVPROC	01/01/00, 00:00:53	System Running Nonredundant Power
932	W	SERVPROC	01/01/00, 00:00:52	POST has reported a memory device is disabled, DIMM = 11.
933	W	SERVPROC	01/01/00, 00:00:52	POST has reported a memory device is disabled, DIMM = 8.
934	I	SERVPROC	01/01/00, 00:00:51	BMC SYSTEM EVENT LOG 100% Full
935	I	SERVPROC	01/01/00, 00:00:51	BMC SYSTEM EVENT LOG 90% Full
936	I	SERVPROC	01/01/00, 00:00:51	BMC SYSTEM EVENT LOG 75% Full
937	E	SERVPROC	01/01/00, 00:00:51	Power Supply 2 AC Power Removed
938	I	SERVPROC	01/01/00, 00:00:38	BMC Self Test Results: Passed
939	I	SERVPROC	01/27/91, 16:46:32	System Complex Powered Up
940	I	SERVPROC	01/27/91, 16:17:26	Recovery System Memory Error
941	I	SERVPROC	01/27/91, 16:17:19	System Complex Powered Down
942	W	SERVPROC	01/27/91, 16:09:45	POST has reported a memory device is disabled, DIMM = 10.
943	W	SERVPROC	01/27/91, 16:09:45	POST has reported a memory device is disabled, DIMM = 7.
944	E	SERVPROC	01/27/91, 16:09:45	SMI handler has reported an uncorrectable memory error, DIMM = 4.
945	E	SERVPROC	01/27/91, 16:09:45	SMI handler has reported an uncorrectable memory error, DIMM = 1.

946	W	SERVPROC	01/27/91, 15:51:23	POST has reported a memory device is disabled, DIMM = 10.
947	W	SERVPROC	01/27/91, 15:51:23	POST has reported a memory device is disabled, DIMM = 7.
948	E	SERVPROC	01/27/91, 15:51:22	SMI handler has reported an uncorrectable memory error, DIMM = 4.
949	E	SERVPROC	01/27/91, 15:51:22	System Memory Error
950	E	SERVPROC	01/27/91, 15:51:22	SMI handler has reported an uncorrectable memory error, DIMM = 1.
951	I	SERVPROC	01/27/91, 15:50:45	Recovery System Memory Error
952	I	SERVPROC	01/27/91, 15:50:39	System Complex Powered Up
953	I	SERVPROC	01/27/91, 15:50:33	System Complex Powered Down
954	W	SERVPROC	01/27/91, 15:47:28	POST has reported a memory device is disabled, DIMM = 10.
955	W	SERVPROC	01/27/91, 15:47:28	POST has reported a memory device is disabled, DIMM = 7.
956	E	SERVPROC	01/27/91, 15:47:28	SMI handler has reported an uncorrectable memory error, DIMM = 4.
957	E	SERVPROC	01/27/91, 15:47:28	System Memory Error
958	E	SERVPROC	01/27/91, 15:47:28	SMI handler has reported an uncorrectable memory error, DIMM = 1.
959	I	SERVPROC	01/27/91, 15:46:51	Recovery System Memory Error
960	I	SERVPROC	01/27/91, 15:46:44	System Complex Powered Up
961	I	SERVPROC	01/27/91, 15:46:41	System Complex Powered Down
962	W	SERVPROC	01/27/91, 15:37:59	POST has reported a memory device is disabled, DIMM = 10.
963	W	SERVPROC	01/27/91, 15:37:59	POST has reported a memory device is disabled, DIMM = 7.
964	E	SERVPROC	01/27/91, 15:37:59	SMI handler has reported an uncorrectable memory error, DIMM = 4.
965	E	SERVPROC	01/27/91, 15:37:59	System Memory Error
966	E	SERVPROC	01/27/91, 15:37:59	SMI handler has reported an uncorrectable memory error, DIMM = 1.
967	W	SERVPROC	01/27/91, 15:37:18	System Running Nonredundant Power
968	I	SERVPROC	01/27/91, 15:37:07	System Complex Powered Up
969	I	SERVPROC	01/27/91, 15:36:28	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 5 = 0x0000. PHY Reg 6 = 0x0004. PHY Reg 24 = 0x0038.
970	I	SERVPROC	01/27/91, 15:36:28	Eth[0] Link Config: No Link after 10 seconds. PHY Reg 0 = 0x1000. PHY Reg 1 = 0x7809. PHY Reg 4 = 0x01e1.
971	I	SERVPROC	01/27/91, 15:36:28	Ethernet[0] configured to do Auto Speed/Auto Duplex.
972	I	SERVPROC	01/27/91, 15:36:28	LAN: Ethernet[0] interface is no longer active
973	I	SERVPROC	01/27/91, 15:36:28	Ethernet[0] MAC Address currently being used: 0x00-14-5E-65-CC-CB
974	I	SERVPROC	01/27/91, 15:36:28	RSA II Network Initialization Complete.
975	I	SERVPROC	01/27/91, 15:36:28	ENET[0] IP-Cfg:HstName=ASMA000804061234, IP@=192.168.70.125 ,GW@=0.0.0.0, NetMsk=255.255.255.0
976	I	SERVPROC	01/27/91, 15:36:28	DHCP[0] failure,no IP@ assigned,rc=-290

977	I	SERVPROC	01/27/91, 15:34:36	BMC Self Test Results: Passed
978	E	SERVPROC	01/27/91, 15:34:15	Power Supply 2 AC Power Removed
979	I	SERVPROC	12/15/90, 01:01:24	System Complex Powered Down
980	I	SERVPROC	12/15/90, 01:01:18	System Complex Powered Up
981	I	SERVPROC	12/14/90, 22:47:01	System Complex Powered Down
982	W	SERVPROC	12/14/90, 22:44:05	POST has reported a memory device is disabled, DIMM = 6.
End of Log.				
